

Giorgio Lollino
Daniele Giordan
Giovanni B. Crosta
Jordi Corominas
Rafiq Azzam
Janusz Wasowski
Nicola Sciarra *Editors*



Engineering Geology for Society and Territory – Volume 2

Landslide Processes



 Springer

Engineering Geology for Society
and Territory – Volume 2

Giorgio Lollino • Daniele Giordan
Giovanni B. Crosta
Jordi Corominas • Rafiq Azzam
Janusz Wasowski • Nicola Sciarra
Editors

Engineering Geology for Society and Territory – Volume 2

Landslide Processes

Editors

Giorgio Lollino
Daniele Giordan
Institute for Geo-Hydrological Protection
National Research Council (CNR)
Turin
Italy

Rafiq Azzam
Department of Engineering Geology
and Hydrogeology
RWTH Aachen University
Aachen
Germany

Giovanni B. Crosta
Department of Earth and Environmental Science
University of Milan Bicocca
Milan
Italy

Janusz Wasowski
Institute for Geo-Hydrological Protection
National Research Council (CNR)
Bari
Italy

Jordi Corominas
Department of Geotechnical Engineering
and Geosciences
Universitat Politècnica de Catalunya
Barcelona
Spain

Nicola Sciarra
University G. D'Annunzi Chieti Pescara
Chieti
Italy

ISBN 978-3-319-09056-6 ISBN 978-3-319-09057-3 (eBook)
DOI 10.1007/978-3-319-09057-3
Springer Cham Heidelberg New York Dordrecht London

Library of Congress Control Number: 2014946956

© Springer International Publishing Switzerland 2015

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Cover illustration: Landslide affecting the hill of Ruinas, Oristano, Italy. On February, 2005, the phenomenon invaded the road path and caused difficulties to the traffic. During the emergency, to ensure safety of the road traffic, a particular monitoring and early warning system was deployed. *Photo:* Daniele Giordan.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

Foreword

It is our pleasure to present this volume as part of the book series on the Proceedings of the XII International IAEG Congress, Torino 2014.

For the 50th anniversary, the Congress collected contributions relevant to all themes where the IAEG members were involved, both in the research field and in professional activities.

Each volume is related to a specific topic, including:

1. Climate Change and Engineering Geology;
2. Landslide Processes;
3. River Basins, Reservoir Sedimentation and Water Resources;
4. Marine and Coastal Processes;
5. Urban Geology, Sustainable Planning and Landscape Exploitation;
6. Applied Geology for Major Engineering Projects;
7. Education, Professional Ethics and Public Recognition of Engineering Geology;
8. Preservation of Cultural Heritage.

The book series aims at constituting a milestone for our association, and a bridge for the development and challenges of Engineering Geology towards the future.

This ambition stimulated numerous conveners, who committed themselves to collect a large number of contributions from all parts of the world, and to select the best papers through two review stages. To highlight the work done by the conveners, the table of contents of the volumes maintains the structure of the sessions of the Congress.


The lectures delivered by prominent scientists, as well as the contributions of authors, have explored several questions ranging from scientific to economic aspects, from professional applications to ethical issues, which all have a possible impact on society and territory.

This volume testifies the evolution of engineering geology during the last 50 years, and summarizes the recent results. We hope that you will be able to find stimulating contributions, which will support your research or professional activities.



A handwritten signature in blue ink that reads "Giorgio Lollino".

Giorgio Lollino



A handwritten signature in blue ink that reads "Carlos Delgado".

Carlos Delgado

Preface

Landslides and slope stability are one of the leading professional and research fields for engineering geologists. They have been addressed in the IAEG conferences and meetings since the very beginning of the Association. More than 400 contributions related to landslide processes have been submitted to this 12th IAEG congress. They constitute a representative sample of the developments achieved during the last few years and of the challenges our geoscientific community is faced with.

Landslide Mechanisms

Landslides and catastrophic rock and soil failures are due to a variety of mechanisms, some of which are still insufficiently known. This may explain why after more than 35 years, the well-known classification of landslide processes proposed by Varnes in 1978 is still being revisited and updated.

Several sessions in the Congress are devoted to the mechanisms affecting complex geological formations and large slope failures. One of them is focused on the so-called hard soils and soft rocks. Overconsolidated clays and argillaceous soft rocks cause frequent problems in civil works regarding the stability and degradation on exposed surfaces. These materials exhibit a quasi-brittle behavior. Fragility is often associated with loss of cementation of the material and consequently a drop of the shear strength which favors strain localization phenomena and development of progressive failure. The evolution of the movements may include catastrophic acceleration.

Significant research efforts have also been devoted to gain better understanding of the evolution of large slope deformations and to the prediction of their potential to catastrophic failures. Some slope deformations are slow and ductile, moving in a continuous or intermittent manner, others are brittle and after a certain deformation, or as a result of sudden loading (e.g., during an earthquake), they may accelerate, fail, and attain extremely rapid velocities. The failure of large rock masses may involve in-situ rock blocks bounded by a combination of nonsystematic joints and intact rock bridges. The instability process may lead to loss of cohesion, fragmentation of the rock mass, and very rapid flow such as rock avalanching (sturzsstroms).

Techniques for Landslide Characterization and Monitoring

Different instrumentation systems have been developed to monitor landslide behavior, and they are used in many locations around the world. They are often employed in conjunction with surface mapping and subsurface investigations for a detailed characterization of slopes and landslides. Landslide monitoring has several purposes: it provides information about the geometry of the failure, the movement pattern as well as data for the calibration of analytical

and numerical models. The interpretation of the temporal evolution of the different variables is the basis of early warning systems.

The automation of piezometers, inclinometers, extensometers, and distance meters has made possible the monitoring of virtually continuous motion and pore pressure changes. The interpretation of the data recorded has allowed the establishment of consistent relationships between instability triggers and slope deformations. Furthermore, it has highlighted the importance of elements such as cracks and macropores in the hydrological response of landslides.

Many landslides show spatially complex movements. Ground-based equipment such as extensometers or inclinometers are situated at specific locations on a landslide. Such monitoring devices are often costly to install, require access to the site while they yield spatially discontinuous data. The interpretation of the monitoring results requires a proper understanding of the landslide's geomorphological context, and of its different units. Remote sensing techniques are being now increasingly used in landslide investigations, because of their ability to survey large areas and acquire data with high accuracy and high spatial resolution without the accessibility constraints of other equipment and their performance in adverse weather conditions. Two main remote sensing techniques have been intensively tested in the recent years: the terrestrial and aerial laser scanner (LiDAR) and radar interferometry (InSAR), both satellite or ground-based. The laser scanner has multiple applications in slope stability, particularly in rock slopes. It generates high-resolution point clouds of the topographic surface from which one can derive detailed DEMs with highlighted geomorphological features; this can improve the quality of landslide inventories. Detailed DEMs can be used to define discontinuity surfaces and their attributes (i.e., orientation, persistence, spacing) and the deformation pattern of the monitored surfaces allowing the characterization of the instability process. Multitemporal DEMs analysis can also be used to detect morphological and volumetric changes over time.

Advanced InSAR techniques have become a powerful tool for spatio-temporal monitoring ground movements such as subsidence, surface displacements due to landslides or tectonic activity. An additional advantage of InSAR is the existence of a historical database of satellite SAR images (since 1992), enabling retrospective studies.

Other satellite-based sensors are currently available providing information with different spatial, temporal, and spectral resolution. A large number of crucial input data are obtained regarding soil type, vegetation, or land cover; these can be converted into maps through spatial interpolation using environmental correlation with landscape attributes (e.g., geostatistical interpolation methods such as cokriging) that can be easily integrated into GIS for landslide susceptibility and hazard analyses.

Landslide Hazard and Risk Assessment

Risk analysis involves the location, characterization of the landslide (classification, size, velocity, mechanism), and assessment of its travel distance and frequency, which is the hazard analysis; and the consequence analysis that takes into account the presence of the elements at risk, their temporal spatial probability and vulnerability. Risk analysis includes both hazard and consequences analyses. In risk assessment, the results of both analyses are evaluated against value judgments and risk acceptance criteria.

There have been significant advances in regional and local mapping of landslide hazard. The contributions presented to this congress nicely show the recent achievements as well as the shifting of the researchers' interest from landslide susceptibility to landslide hazard assessment and mapping. Furthermore, a parallel evolution has taken place from qualitative to quantitative approaches. The latter have several advantages as they offer more objectivity in the assessment; eliminate misinterpretations and the use of ambiguous terms; yield

reproducible and consistent results; provide a direct input to the cost/benefit analyses. Nowadays, there exist well-founded procedures for the quantitative analysis.

The methods for preparing hazard maps have evolved from the heuristic approaches, to the statistical analyses and data driven methods, and to the deterministic analyses. The capability of the latter has expanded from the stability of individual landslides to spatially distributed models that calculate likelihood of rupture in combination with the return period of the triggers (rain and/or seismicity). The main drawback of these models is that they often oversimplify the geological and geomechanical variables and that should be based on high quality collected data.

The reliability of the hazard maps has improved thanks to high-resolution DEM obtained with remote sensing techniques and the development of data capture techniques. Several researchers have shown that higher resolution DEM on one hand improves significantly the results of slope stability and susceptibility models and on the other hand reduces the errors associated to trajectographic analysis or landslide runout simulations.

The spatial distribution of the hazard may be challenging for long runout landslides for which the probability of failure at the source area may differ significantly from the probability of the landslide reaching a specific area. In this case, calculation of hazard must take into account that: (a) different landslide types may occur with different time frames; (b) a target area may be potentially affected by landslides originating from different source areas; (c) the frequency observed at any target location or section may change with the distance to the landslide source. The practical application of the landslide hazard assessment therefore requires a multiple approach which should take into account the different failure mechanisms, each with different characteristics and causal factors, size, and spatio-temporal probability.

Landslide Prevention and Management

Risk management identifies the measures that may be taken to avoid damages to the society, if required. Different strategies can be considered and they may be synthesized as: risk acceptance, hazard avoidance, hazard reduction, and risk mitigation. Each strategy implements specific measures aiming at either modifying the slope conditions to reduce instability or restrict its development and damaging capability (active measures), or at avoiding the harmful effects of the landslide without interfering with its occurrence (passive measures).

Landslide mitigation measures may include structural measures when they involve any kind of engineering construction or intensive earth work. Stabilization and protection methods are often expensive and may cause irreversible impacts on the mountain ecosystem. However, structural measures cannot always guarantee full protection; and they require careful engineering design, and appropriate maintenance. Among all the options, the avoidance of landslide-threatened areas is the best alternative, and land use planning is a fundamental tool in promoting less expensive and sustainable development. However, the landslide prevention measures, and specifically the implementation of alert systems, have to be considered when the population or infrastructures are directly threatened.

The risk from landslide activity ought to be reducible by implementing early warning systems (EWS). An EWS does not modify the hazard, but does contribute to a reduction in the landslides consequences, in particular the loss of lives and thus the risk. It requires appropriate monitoring, definition of threshold values, short-term prediction of behavior, and then taking action to minimize risk when hazardous events are expected. The scientific and engineering community is knowledgeable about what causes landslides and what reactivates them, however predicting short-term evolution of a slope or a change in landslide activity is still subjected to uncertainties and errors. Without accurate predictions of short-term behavior (based on appropriate monitoring), made without false alarms and with sufficient advance warning to

enable the community at risk to take appropriate action, warning systems cannot be relied upon.

EWS are installed with the aim of making accurate predictions of the behavior of landslides. While some systems operate with triggering thresholds such as the recorded rainfall, others are based on the analysis of the deformation trend and for their interpretation adequate knowledge of material rheology is required. The capturing and interpretation of small-scale prefailure displacements is a fundamental task for landslide prevention. Researchers have shown that different types of landslide may display different patterns of acceleration before failure, and thus that monitoring very small-scale precursory movements offers the prospect of forecasting a slope failure.

Finally, monitored data may be integrated within predictive tools which can involve an empirical and semi-empirical interpretation of deformation field phenomena. This is done using quantitative geological and geomorphological criteria or through the development and implementation of more general and powerful computational models.

Contents

Part I Keynote

- 1 **Using the Working Classification of Landslides to Assess the Danger from a Natural Slope** 3
David Cruden and Heng-Xing Lan
- 2 **Understanding the Mechanism of Large-Scale Landslides** 13
Runqiu Huang
- 3 **Natural River Damming: Climate-Driven or Seismically Induced Phenomena: Basics for Landslide and Seismic Hazard Assessment** 33
Alexander Strom
- 4 **Key Issues in Rock Fall Modeling, Hazard and Risk Assessment for Rockfall Protection** 43
Giovanni B. Crosta, Federico Agliardi, Paolo Frattini, and Serena Lari
- 5 **Observing, Modelling and Checking Slope Behaviour: Is There a Better Way to Fully Exploit the Expertise of Geologists and Engineers at the Same Time?** 59
Luciano Picarelli
- 6 **Landslide Risk Assessment at Cultural Heritage Sites** 79
Kyoji Sassa
- 7 **Depletion of the Cretacic Carbonate Aquifer in the Salento Peninsula (Southeastern Italy): The Case of the Chidro Spring** 105
Vincenzo Cotecchia, Massimiliano Scuro, and Giuseppe Mezzina

Part II Advanced Landslide Field Instrumentation and Monitoring

- 8 **Monitoring of the Shallow Landslide Using UAV Photogrammetry and Geodetic Measurements** 113
Lukáš Marek, Jakub Miřijovský, and Pavel Tuček
- 9 **Performance of an Acoustic Emission Monitoring System to Detect Subsurface Ground Movement at Flat Cliffs, North Yorkshire, UK** 117
N. Dixon, R. Moore, M. Spriggs, A. Smith, P. Meldrum, and R. Siddle

10	Application of Modular Underground Monitoring System (MUMS) to Landslides Monitoring: Evaluation and New Insights	121
	A. Segalini, L. Chiapponi, and B. Pastarini	
11	Reliability of Field Measurements of Displacements in Two Cases of Viaduct-Extremely Slow Landslide Interactions	125
	Lucia Simeoni, Edgar Ferro, and Sara Tombolato	
12	Monitoring of an Ancient Landslide Phenomenon by GBSAR Technique in the Maierato Town (Calabria, Italy)	129
	Giovanni Nico, Luigi Borrelli, Andrea Di Pasquale, Loredana Antronico, and Giovanni Gullà	
13	Bank Slope Monitoring with Integrated Fiber Optical Sensing Technology in Three Gorges Reservoir Area	135
	Dan Zhang, Bin Shi, Yijie Sun, Hengjin Tong, and Guangya Wang	
14	Proposition of a Landslide Monitoring System in Czech Carpathians	139
	Miloš Marjanović, Jan Caha, and Jakub Miřijovský	
15	The Analysis of Landslide Dynamics Based on Automated GNSS Monitoring—A Case Study	143
	Biljana Abolmasov, Svetozar Milenković, Branko Jelisavac, Marko Pejić, and Zoran Radić	
16	Preliminary Analysis and Monitoring of the Rock Slope on the M-22 Highroad Near Ljig in Serbia, Using LiDAR Data	147
	Miloš Marjanović, Uroš Đurić, Biljana Abolmasov, and Snežana Bogdanović	
17	Vein of Groundwater Flow Behavior in a Land-Slide by Continuous Monitoring of Ground Temperature	151
	Gen Furuya, Akira Suemine, Gonghui Wang, Yūsuke Takano, and Yūki Ichikawa	
18	Multi-parameter Monitoring of a Slow Moving Landslide: Ripley Slide, British Columbia, Canada	155
	Peter Bobrowsky, Wendy Sladen, David Huntley, Zhang Qing, Chris Bunce, Tom Edwards, Michael Hendry, Derek Martin, and Eddie Choi	
19	Reliability and Precision of a Network for Monitoring Very Slow Movements with a Total Station	159
	Donatella Dominici, Vincenzo Massimi, and Lucia Simeoni	
Part III Approaches to Landslide Risk Modelling and Mitigation		
20	Role of Neotectonic Activity in Triggering Landslide in Dehradun Valley, Garhwal Himalaya, India	167
	B.C. Joshi and S.C. Bhatt	

21	Assessing the Quality of Landslide Hazard Prediction Patterns by Cross-Validation	173
	Andrea G. Fabbri, Angelo Cavallin, and Chang-Jo Chung	
22	Landslide Susceptibility Zoning Using GIS Tools: An Application in the Germanasca Valley (NW Italy)	177
	Glenda Taddia, Loretta Gnani, Marco Piras, Maria Gabriella Forno, Andrea Lingua, and Stefano Lo Russo	
23	Reduction of Rockfall Risk of the Teleferik Area of Santorini, Greece . . .	183
	Lekkas Efthimis, Alexoudi Vasiliki, and Lialiaris Ioannis	
24	Structure and Characteristics of Landslide Input Data and Consequences on Landslide Susceptibility Assessment and Prediction Capability	189
	Sérgio C. Oliveira, José Luís Zêzere, and Ricardo A.C. Garcia	
25	Standardization for Flexible Debris Retention Barriers	193
	Axel Volkwein, Reto Baumann, Christian Rickli, and Corinna Wendeler	
26	Sensitivity Analysis for Shallow Landsliding Susceptibility Assessment in Northern Tuscany	197
	Massimo Perna, Alfonso Crisci, Valerio Capecchi, Giorgio Bartolini, Giulio Betti, Francesco Piani, Bernardo Gozzini, Barbara Barsanti, Tommaso Bigio, Filippo Bonciani, Leonardo Disperati, Andrea Rindinella, and Francesco Manetti	
27	Evaluating the Effect of Modelling Methods and Landslide Inventories Used for Statistical Susceptibility Modelling	201
	Stefan Steger, Rainer Bell, Helene Petschko, and Thomas Glade	
28	Application of a Geomorphologic-Heuristic Model to Estimate the Landslides Reactivation Likelihood in the Emilia-Romagna Region (Italy)	205
	Mauro Generali and Marco Pizziolo	
Part IV Characterization, Monitoring and Modelling of Large Slope Instabilities and their Interaction with Engineering Structures		
29	Gravity-Induced Fracturing in Large Rockslides: Possible Evidence from Vajont	213
	Paolo Paronuzzi and Alberto Bolla	
30	Monitoring and Stability Analysis of a Coal Mine Waste Heap Slope in Korea	217
	Young-Suk Song, Yong-Chan Cho, and Kyeong-Su Kim	
31	A Detailed Study of the Cedar City Landslide, Utah, U.S.A	221
	Ashley Tizzano and Abdul Shakoor	

32	New Interpretation of Lemeglio Coastal Landslide (Liguria, Italy) Based on Field Survey and Integrated Monitoring Activities	227
	F. Faccini, L. Crispini, L. Federico, A. Robbiano, and A. Roccati	
33	Analysis of Seasonal Slope Acceleration at the Beauregard Dam Site (Italy) Using CrEAM	233
	Daniela Anna Engl, Giovanni Barla, Maria Elena Martinotti, and D. Scott Kieffer	
34	Interactions Between Tunnels and Unstable Slopes: Role of Excavation	237
	Lionel Causse, Roger Cojean, and Jean-Alain Fleurisson	
35	Hazard Assessment of Unstable and Potential Unstable Rock Slopes in Storfjord (Western Norway)	243
	Thierry Oppikofer, Martina Böhme, Aline Saintot, Reginald Hermanns, and Oddvar Longva	
36	Characterizing Slope Stability of Colluvial Soils in Ohio Using LiDAR Data	249
	Matthew Waugh and Abdul Shakoor	
37	Interaction of Extremely Slow Landslides with Transport Structures in the Alpine Glacial Isarco Valley	255
	L. Simeoni, F. Ronchetti, A. Corsini, and L. Mongiovì	
38	Analysis of the Landslide Mechanic Based on the Groundwater-Induced Landslide Flume Experiments	261
	Chen Suchin, Wu Chunhung, and Chen Kuanhan	
39	Evaluation of the Possibilities for Construction on Ancient Landslide	267
	Frangov Georgi and Miroslav Krastanov	
40	Characterization, Geometry, Temporal Evolution and Controlling Mechanisms of the Jettan Rock-Slide, Northern Norway	273
	Lars Harald Blikra, Hanne H. Christiansen, Lene Kristensen, and Mario Lovisolo	
41	Landslide Hazard Assessment of Oryahovo Area, Bulgaria	279
	Krastanov Miroslav, Nikolai Dobrev, Plamen Ivanov, and Boyko Berov	
42	Tectonic Stress as Possible Co-predisposing Factor for Landslides Along the Central Adriatic Coast of Italy	283
	Angelo Doglioni, Annalisa Galeandro, Alessandro Guerricchio, and Vincenzo Simeone	
43	Characterization and Assessment of Large Landslide Movement Along the Bursa-Inegöl-Bozüyük Highway in Turkey	289
	Damla Gaye Oral, Haluk Akgün, and Mustafa Kerem Koçkar	

44	Slope Instability Detection Along the National 7 and the Potrerillos Dam Reservoir, Argentina, Using the Small-Baseline InSAR Technique	295
	Clément Michoud, Valérie Baumann, Marc-Henri Derron, Michel Jaboyedoff, and Tom Rune Lauknes	
45	Analysis of Slope Stability by Back-Calculation Along the Paute River Valley: Application to Construction of the Mazar Hydroelectric Project—Ecuador	301
	Borchardt Nicole	
46	Understanding the Genesis of Mass Transport Deposits (MTDs) for Safe Mining Planning: Anhovo Quarry, Western Slovenia	307
	Ž. Pogačnik, K. Ogata, G.A. Pini, and G. Tunis	
47	Large Induced Displacements and Slides Around an Open Pit Lignite Mine, Ptolemais Basin, Northern Greece	311
	Marinos Vassilis, Tsapanos Theodoros, Pavlidis Spyridon, Tsourlos Panagiotis, Chatzipetros Alexandros, and Voudouris Konstantinos	
48	Slope Mechanical Modelling: Contribution of Multi-Geophysical Imagery	317
	J. Gance, S. Bernardie, G. Grandjean, and J.-P. Malet	
49	Velocity Prediction on Time-Variant Landslides Using Moving Response Functions: Application to <i>La Barmasse Rockslide</i> (Valais, Switzerland)	323
	Antonio Abellán, Clément Michoud, Michel Jaboyedoff, François Baillifard, Jonathan Demierre, Dario Carrea, and Marc-Henri Derron	
50	The Use of Remote Sensing Techniques and Runout Analysis for Hazard Assessment of an Unstable Rock Slope at Storhaugen, Manndalen, Norway	329
	Freddy X. Yugsi Molina, Halvor S.S. Bunkholt, Lene Kristensen, John Dehls, and Reginald L. Hermanns	
51	Comparing Satellite Based and Ground Based Radar Interferometry and Field Observations at the Canillo Landslide (Pyrenees)	333
	Jordi Corominas, Rubén Iglesias, Albert Aguasca, Jordi J. Mallorquí, Xavier Fàbregas, Xavier Planas, and Josep A. Gili	
52	Methods to Estimate the Surfaces Geometry and Uncertainty of Landslide Failure Surface	339
	Michel Jaboyedoff and Marc-Henri Derron	
53	Mechanical Modeling and Geophysical Monitoring for Landslide Processes	345
	Svalova Valentina	
54	Investigation, Monitoring and Modelling of a Rapidly Evolving Rockslide: The Mt. de la Saxe Case Study	349
	Giovanni B. Crosta, Paolo Frattini, Riccardo Castellanza, Gabriele Frigerio, Claudio di Prisco, Giorgio Volpi, Mattia De Caro, Paolo Cancelli, Andrea Tamburini, Walter Alberto, and Davide Bertolo	